

# ELEKTROTECHNICKÝ ZKUŠEBNÍ ÚSTAV



Notified body No. 1014

ELECTROTECHNICAL TESTING INSTITUTE - CZECH REPUBLIC  
ELEKTROTECHNISCHE PRÜFANSTALT - TSCHHECHISCHE REPUBLIK  
INSTITUT ELECTROTECHNIQUE D'ESSAIS - RÉPUBLIQUE TCHÉQUE  
ЭЛЕКТРОТЕХНИЧЕСКИЙ ИСПЫТАТЕЛЬНЫЙ ИНСТИТУТ - ЧЕШСКАЯ РЕСПУБЛИКА

Pod lisem 129/2, 171 02 Praha 8 - Troja

## CERTIFICATE OF CONSTANCY OF PERFORMANCE

No.: 1014-CPR-0103

In compliance with Regulation (EU) No 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

**Product:** Optical Cable  
**Type:** IFEF FiRis  
(accurate identification of cables listed in classification report No. 803733-01/01 CLASS dated 20.12.2018)  
**Rating:** B2<sub>ca</sub>-s1,d0,a1

placed on the market under the name or trade mark of:

Reichle & De-Massari Czech Republic a.s.  
Vítězství 67, 405 02 Děčín - Děčín XXXIII-Nebočady, Czech Republic

and produced in the manufacturing plant:

Reichle & De-Massari Czech Republic a.s.  
Vítězství 67, 405 02 Děčín - Děčín XXXIII-Nebočady, Czech Republic

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standards

**EN 50575:2014+A1:2016**

under system 1+/1 for the performances set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

**constancy of performance of the construction product.**

**The test results are stated in the test-report No.:** 803733-01/01 of 19.11.2018, 803803-01/01 of 19.11.2018

This certificate was first issued on 27.12.2018 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods or the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

27.12.2018

Prague

  
Mgr. Miroslav Sedláček  
Head of Certification Body



803870-01